Clinical Endocrinology (1985) **23,** 735–740

Author Index to Volume 23

ABBOTT, R.J. see O'Malley, B.P.

ABDULWAHID, N.A., ADAMS, J., VAN DER SPUY, Z.M. and JACOBS, H.S. Gonadotropin control of follicular development, 613

ADAMS, E.F. see White, M.C.

ADAMS, J. see Abdulwahid, N.A., also Stanhope, R.

AHMED, A.-G. and KLOPPER, A. Concomitant secretion of Schwangerschaftsprotein 1 and human chorionic gonadotrophin following conception, 677

AKERSTROM, G. see Joborn, H.

AKHTAR, F.B. see Michel, E.

ALAGHBAND-ZADEH, J. see Dorrington-Ward, P.

ALBERTI, K.G.M.M. see Davies, R.R.

ALTON, S. and O'MALLEY, B.P. Dietary intake in thyrotoxicosis before and after adequate carbimazole therapy; the impact of dietary advice, 517

ANDERSON, D.C. see Braidman, I.P.

ARMANINI, D., KARBOWIAK, I., GOI, A., MANTERO, F. and FUNDER, J.W. In-vivo metabolites of spironolactone and potassium canrenoate: determination of potential anti-androgenic activity by a mouse kidney cytosol receptor assay, 341

ATKINSON, A.B. see Hawthorne, G.

ATTREE, S.L. see Dowsett, M.

BALAŻS, CS. see Preus, M.

BALDUCCI, R., TOSCANO, V., WRIGHT, F., BOZZOLAN, F., DI PERO, G., MARODER, M., PANEI, P., SCIARRA, F. and BOSCHERINI, B. Familial male pseudohermaphroditism with gynaecomastia due to 17β-hydroxysteroid dehydrogenase deficiency. A report of 3 cases, 439

BALL, S.G. see Connell, J.M.C.

BALMFORTH, A.J. see Connell, J.M.C.

BANCROFT, J. see O'Carroll, R.

BANNISTER, P., SHERIDAN, P. and LOSOWSKY, M.S. Identification and characterization of the human hepatic androgen receptor, 495

BANNISTER, P., SHERIDAN, P. and LOSOWSKY, M.S. Plasma concentrations of sex hormones in postmenopausal women in non-alcoholic cirrhosis, 335

BARKER, D.J.P. see Phillips, D.I.W.

BARTALENA, L. see Fenzi, G.F.

BASCHIERI, L. see Fenzi, G.F.

BEARDWELL, C.G., HINDLEY, A.C., WILKINSON, P.M., ST JOHN, J. and BU'LOCK, D. Hormonal changes in postmenopausal women with breast cancer treated with trilostane and dexamethasone, 413

BEASTALL, G.H. see Connell, J.M.C.

BECK, A.D. see O'Malley, B.P.

BELLASTELLA, A. see Faggiano, M.

BENNETT, P. see Djursing, H., also Lykkesfeldt, G.

BENTS, H. see Michel, E.

BESSER, G.M. see Ross, R.J.M.

BLACK, W.P. see Fleming, R.

BLOOM, S.R. see Struthers, A.D.

BONJOUR, J.-P. see Hirschel-Scholz, S.

BOSCHERINI, B. see Balducci, R.

BOULOUX, P. see Ross, R.J.M.

BOZZOLAN, F. see Balducci, R.

BRAIDMAN, I.P. and ANDERSON, D.C. Extra-endocrine functions of vitamin D, 445

BRANDI, M.L., ZONEFRATI, R., ROTELLA, C.M. and TOCCAFONDI, R. Catecholamine, vasoactive intestinal peptide and thyrotrophin-dependent cAMP levels display a different sensitivity to iodothyronines in both normal and pathological human thyroid cells in culture, 503

BRØCHNER MORTENSEN, J. see Kristiansen, J.H.

BROOK, C.G.D. see Hindmarsh, P.C., also Stanhope, R.

BROWN, B.L., WALKER, S.W. and TOMLINSON, S. Calcium, calmodulin and hormone secretion, 201

BROWN, B.L. see Tomlinson, S.

BROWN, D.C. see Struthers, A.D.

BROWN, G.M. see Chik, C.L.

BROWN, M.J. see Struthers, A.D.

BUDD, P.S. see Corrie, J.E.T.

BU'LOCK, D. see Beardwell, C.G.

BURNETT, M.A. see Matthews, D.R.

BUSUTTIL, A. see Habib, F.K.

BUTT, W.R. see Elwes, R.D.C.

CAMANNI, F. see Ghigo, E.

CARL, J. see Kristiansen, J.H.

CARTER, G. see Dorrington-Ward, P.

CASTRO-GAGO, M. see Pombo, M.

CECCARELLI, C. see Fenzi, G.F.

CECCARELLI, P. see Fenzi, G.F.

CHARD, T. see Norman, R.J.

CHIBA, T. see Kinoshita, Y.

CHIHARA, K. see Kinoshita, Y.

CHIK, C.L., TALALLA, A. and BROWN, G.M. Effect of pinealectomy on serum melatonin, luteinizing hormone and prolactin: a case report, 367

CHIODERA, P., VOLPI, R., D'AMATO, L. PETROLINI, R., SALATI, G., FERRARI, P., FAVA, A. and COIRO, V. Muscarinic cholinergic mediation of LHRH-induced LH and FSH secretion in normal men, 361
CHISHOLM, G.D. see Habib, F.K.
CHRISTIANSEN, C. see Kristiansen, J.H.
COIRO, V. see Chiodera, P.
CONNELL, J.M.C., BALL, S.G., BALMFORTH, A.J., BEASTALL, G.H. and DAVIES, D.L. Effect of low-dose dopamine infusion on basal and stimulated TSH and prolactin concentrations in man, 185
CONNELL, J.M.C. see Morton, J.J.
CONTE, F.A. see Hauffa, B.P.
COOK, D. see Davies, R.R.
CORNISH, C.J. see Seshadri, M.S.
CORRIE, J.E.T., EDWARDS, C.R.W., JONES, D.B., PADFIELD, P.L. and BUDD, P.S. Factors affecting the secretion of 18-hydroxycortisol, a novel steroid of relevance to Conn's syndrome, 579
COUTTS, J.R.T. see Fleming, R.
CREAGH, F.M., PARKES, A.B., TUNN, E., GINSBERG, J., HASHIM, F. and REES SMITH, B. Thyroid stimulation by $(FAB)_2$ and FAB fragments of TSH receptor antibody, 175
CREAGH, F., TEECE, M., WILLIAMS, S., DIDCOTE, S., PERKINS, W., HASHIM, F. and REES SMITH, B. An analysis of thyrotophin receptor binding and thyroid stimulating activities in a series of Graves' sera, 395
CRISCUOLO, T. see Faggiano, M.

D'AMATO, L. see Chiodera, P.
DARLING, P. see Matthews, D.R.
DAUNCEY, S. see Jeffcoate, W.J.
DAVIES, D.L. see Connell, J.M.C.
DAVIES, R.R., TURNER, S.J., COOK, D., ALBERTI, K.G.M.M. and JOHNSTON, D.G. The response of obese subjects to continuous infusion of human pancreatic growth hormone-releasing factor 1–44, 521
DAVIES, R.R., TURNER, S.J., ØRSKOV, H. and JOHNSTON, D.G. The interaction of human pancreatic growth hormone releasing factor 1–44 with somatostatin *in vivo* in normal man, 271
DAVIES, T.F., PLATZER, M., SCHWARTZ, A.E. and FRIEDMAN, E.W. Short- and long-term evaluation of normal and abnormal human thyroid cells in monolayer culture, 469
DECOSTER, C. see Unger, J.
DELLAPORTAS, C, see Elwes, R.D.C.
DE MAERTELAER, V. see Unger, J.
DEVESA, J. see Pombo, M.
DIDCOTE, S. see Creagh, F., also Phillips, D.I.W.
DIEGUEZ, C. see Peters, J., also Valcavi, R.
DI PIERO, G. see Balducci, R.

DJURSING, H. HAGEN, C., NYBOE ANDERSEN, A., SVENSTRUP, B., BENNETT, P. and MØLSTED PEDERSEN, L. Serum sex hormone concentrations in insulin dependent diabetic women with and without amenorrhoea, 147
DONIACH, I. see Ross, R.J.M.
DORRINGTON-WARD, P., MCCARTNEY, A.C.E., HOLLAND, S., SCULLY, J., CARTER, G., ALAGHBAND-ZADEH, J. and WISE, P. The effect of spironolactone on hirsutism and female androgen metabolism, 161
DOWSETT, M., ATTREE, S.L., VIRDEE, S.S. and JEFFCOATE, S.L. Oestrogen-related changes in sex hormone binding globulin levels during normal and gonadotrophin-stimulated menstrual cycles, 303

EDWARDS, C.A. see Kumar, S.
EDWARDS, C.R.W. see Corrie, J.E.T.
ELWES, R.D.C., DELLAPORTAS, C., REYNOLDS, E.H., ROBERTSON, W. BUTT, W.R. and LONDON, D.R. Prolactin and growth hormone dynamics in epileptic patients receiving phenytoin, 263
EVANS, B.A.J., and HUGHES, I.A. Augmentation of androgen-receptor binding *in vitro:* studies in normals and patients with androgen insensitivity, 567
EVANS, P.A. see Walker, B.J.
EVANS, P.J. see Valcavi, R.

FAGGIANO, M., CRISCUOLO, T., GRAZIANI, M., IORO, S., PISANO, G., SINISI, A.A., SINISI, A.M. and BELLASTELLA, A. Persistant TRH-induced growth hormone release after short-term and long-term L-thyroxine replacement therapy in primary congenital hypothyroidism, 61
FAHLBUSCH, R. see White, M.C.
FARID, N.R. see Preus, M.
FÄSSLER, R., SCHWARZ, S and POHL, P. Demonstration of sex hormone binding globulin in cerebrospinal fluid, 349
FAVA, A. see Chiodera, P.
FELDT-RASMUSSEN, U. see Hegedüs, L.
FENZI, G.F., CECCARELLI, C., MACCHIA, E., MONZANI, F., BARTALENA, L., GIANI, C., CECCARELLI, P., LIPPI, F., BASCHIERI, L. and PINCHERA, A. Reciprocal changes of serum thyroglobulin and TSH in residents of a moderate endemic goitre area, 115
FERRARI, P. see Chiodera, P.
FIORE, C.E., LUNETTA, M. and KANIS, J.A. Long-term effects of histamine H_2-receptor antagonists on serum parathyroid hormone in chronic renal failure, 277
FISCHER, J.A. see Hirschel-Scholz, S.

FLEMING, R., BLACK, W.P. and COUTTS, J.R.T. Effects of LH suppression in polycystic ovary syndrome, 683
FOORD, S. see Peters, J., also Valcavi, R.
FORREST, A.J. see Kopelman, P.G.
FORSLING, M.L. see Walker, B.J.
FRANCHIMONT, P. see Smitz, S.
FRECKER, M.F. see Preus, M.
FRIEDMAN, E.W. see Davies, T.F.
FRÖLICH, M. see Roelfsema, F.
FROST, J. see Lambert, A.
FUJITA, T. see Kinoshita, Y.
FUNDER, J.W. see Armanini, D.

GARCÍA-MORENO, F. see Pombo, M.
GAUDIERO, J.M. see Pombo, M.
GAUTIER, T. see Peterson, R.E.
GEELHOED-DUYVESTIJN, P.H.L.M. see Roelfsema, F.
GHIGO, E., GOFFI, S., MOLINATTI, G.M., CAMANNI, F. and MASSARA, F. Prolactin and TSH responses to both domperidone and TRH in normal and hyperprolactinaemic women after dopamine synthesis blockade, 155
GIANI, C. see Fenzi, G.F.
GINSBERG, J. see Creagh, F.
GOFFI, S. see Ghigo, E.
GOI, A. see Armanini, D.
GOLDSTEIN, J. see Unger, J.
GOMI, M., IIDA, S., ITOH, Y., MORIWAKI, K., KANAYAMA, S., NAMBA, M. and TARUI, S. Unaltered stimulation of pituitary adrenocorticotrophin secretion by corticotrophin-releasing factor following sodium valproate administration in a patient with Nelson's syndrome, 123
GOOLDEN, A.W.G. The indications for ablating normal thyroid tissue with ^{131}I in differentiated thyroid cancer, 81
GOULTON, R. see Kopelman, P.G.
GRANT, S.J.B., LUTTRELL, B.M. and HALES, I.B. The assay for thyroid stimulating immunoglobulins using cultured human thyroid cells, 325
GRASSO, L. see Pacini, F.
GRAZIANI, M. see Faggiano, M.
GROSSMAN, A. see Ross, R.J.M.
GRUMBACH, M.M. see Hauffa, B.P.

HABIB, F.K., BUSUTTIL, A., ROBINSON, R.A. and CHISHOLM, G.D. 5α-reductase activity in human prostate cancer is related to the histological differentiation of the tumour, 431
HAGEN, C. see Djursing, H.
HALES, I.B. see Grant, S.J.B.
HALL, R. see Peters, J., also Scanlon, M.F., also Valcavi, R.
HANSEN, J.M. see Hegedüs, L.
HARRIS, P.E. see Valcavi, R.
HASHIM, F. see Creagh, F.
HAUFFA, B.P., MILLER, W.L., GRUMBACH, M.M., CONTE, F.A. and KAPLAN, S.L. Congenital adrenal hyperplasia due to deficient cholesterol side-chain cleavage activity (20,22-desmolase) in a patient treated for 18 years, 481
HAWKINS, B.R., MA, J.T.C., LAM, K.S.L., WANG, C.C.L. and YEUNG, R.T.T. Association of HLA antigens with thyrotoxic Graves' disease and periodic paralysis in Hong Kong Chinese, 245
HAWTHORNE, G., SHERIDAN, B., TRAUB, A.I. and ATKINSON, A.B. Prolactin responses to thyrotrophin releasing hormone do not distinguish patients with isolated gonadotrophin deficiency from normals, 55
HEGEDÜS, L., HANSEN, J.M., LÜHDORF, K., PERRILD, H., FELDT-RASMUSSEN, U. and KAMPMANN, J.P. Increased frequency of goitre in epileptic patients on long-term phenytoin or carbamazepine treatment, 423
HINDLEY, A.C. see Beardwell, C.G.
HINDMARSH, P.C. and BROOK, C.G.D. Single dose dexamethasone suppression test in children: dose relationship to body size, 67
HIRSCHEL-SCHOLZ, S., JUNG, A., FISCHER, J.A., TRECHSEL, U. and BONJOUR, J.-P. Suppression of parathyroid secretion after administration of WR-2721 in a patient with parathyroid carcinoma, 313
HO, K.J., SMYTHE, G.A. and LAZARUS, L. The interaction of TRH and dopaminergic mechanisms in the regulation of stimulated prolactin release in man, 7
HOLLAND, S. see Dorrington-Ward, P.
HÖNIGL, W. see Michel, E.
HOWELLS, S. see Scanlon, M.F.
HUGHES, I.A. see Evans, B.A.J.
HUGHES, L.E. see Kumar, S.
HUGHES, M.J. see Morton, J.J.

IGLESIAS, M. see Pombo, M.
IIDA, S. see Gomi, M.
IIZUKA, R. see Nakamura, Y.
IMPERATO-MCGINLEY, J. see Peterson, R.E.
INGLIS, G.C. see Morton, J.J.
IORO, S. see Faggiano, M.
ITOH, Y. see Gomi, M.

JACOBS, H.S. see Abdulwahid, N.A.
JEFFCOATE, W.J., DAUNCEY, S. and SELBY, C. Restoration of dexamethasone suppression by incomplete adenomectomy in Cushing's disease, 193
JEFFCOATE, S.L. see Dowsett, M., also Stanhope R.

JOBORN, H., AKERSTROM, G. and LJUNGHALL, S. Effects of exogenous catecholamines and exercise on plasma magnesium concentrations, 219
JOHNSTON, D.G. see Davies, R.R.
JONCKHEER, M.H. see Unger, J.
JONES, D.B. see Corrie, J.E.T.
JUNG, A. see Hirschel-Scholz, S.

KAMEI, K. see Nakamura, Y.
KAMPMANN, J.P. see Hegedüs, L.
KANAYAMA, S. see Gomi, M.
KANIS, J.A. see Fiore, C.E.
KAPLAN, S.L. see Hauffa, B.P.
KARBOWIAK, I. see Armanini, D.
KATAYAMA, E. see Nakamura, Y.
KINOSHITA, Y., NONAKA, H., SUZUKI, S., KONDO, T., CHIHARA, K., CHIBA, T., FUJITA, T., KOTOURA, Y. and YAMAMURA, T. Accurate localization of insulinoma using percutaneous transhepatic portal venous sampling—usefulness of simultaneous measurement of plasma insulin and glucagon levels, 586
KLOPPER, A. see Ahmed, A.-G.
KNUTH, U.A. see Michel, E.
KOIVISTO, V.A. see Yki-Järvinen, H.
KONDO, T. see Kinoshita, Y.
KOPELMAN, P.G., NOONAN, K., GOULTON, R. and FORREST, A.J. Impaired growth hormone response to growth hormone releasing factor and insulin-hypoglycaemia in obesity, 87
KOTOURA, Y. see Kinoshita, Y.
KRISTIANSEN, J.H., RØDBRO, P., CHRISTIANSEN, C., BRØCHNER MORTENSEN, J. and CARL, J. Familial hypocalciuric hypercalcaemia II. Intestinal calcium absorption and vitamin D metabolism, 511
KUMAR, S., MANSEL, R.E., HUGHES, L.E., EDWARDS, C.A. and SCANLON, M.F. Prediction of response to endocrine therapy in pronounced cyclical mastalgia using dynamic tests of prolactin release, 699

LAM, K.S.L. see Hawkins, B.R.
LAMBERT, A., FROST, J., RATCLIFFE, W.A. and ROBERTSON, W.R. On the stability *in vitro* of bioactive human adrenocorticotrophin in blood and plasma, 253
LARI, R. see Pacini, F.
LAZARUS, L. see Ho, K.Y.
LEGROS, J.-J. see Smitz, S.
LEHENY, W. see Paterson, C.R.
LE MAIRE, M. see Smitz, S.
LERRO, S., LOSA, M., TRISORIO, M.T. and LIUZZI, A. Free thyroid hormone levels and TSH response to TRH in patients with autonomous thyroid adenomata and normal T3 and T4,373
LIPPI, F. see Fenzi, G.F.
LIUZZI, A. see Lerro, S.
LJUNGHALL, S. see Joborn, H.
LOIZOU, M. see White, M.C.
LONDON, D.R. see Elwes, R.D.C.
LOOIJ, B.J. see Roelfsema, F.
LOSA, M., MULLER, O.A., SOBIESZCZYK, S. and VON WERDER, K. Interaction between growth hormone releasing factor (GRF) and somatostatin analogue (SMS 201–995) in normal subjects, 715
LOSA, M., SCHOPOHL, J., STALLA, G.K., MÜLLER, O.A. and VON WERDER, K. Growth hormone releasing factor-test in acromegaly: comparison with other tests, 99
LOSA, M. see Lerro, S.
LOSOWSKY, M.S. see Bannister, P.
LOWINGS, C. see Norman, R.J.
LÜHDORF, K. see Hegedüs, L.
LUNETTA, M. see Fiore, C.E.
LUTTRELL, B.M. see Grant, S.J.B.
LYKKESFELDT, A.E. see Lykkesfeldt, G.
LYKKESFELDT, G., BENNETT, P., LYKKESFELDT, A.E., MICIC, S., MØLLER, S. and SVENSTRUP, B. Abnormal androgen and oestrogen metabolism in men with steroid sulphatase deficiency and recessive X-linked ichthyosis, 385

MA, J.T.C. see Hawkins, B.R.
MACCHIA, E. see Fenzi, G.F.
MAC NEIL, S. see Tomlinson, S.
MANSEL, R.E. see Kumar, S.
MANTERO, F. see Armanini, D.
MARODER, M. see Balducci, R.
MARTINÓN, J.M. see Pombo, M.
MASHITER, K. see White, M.C.
MASON, R.S. see Seshadri, M.S.
MASSARA, F. see Ghigo, E.
MATTHEWS, D.R., RUDENSKI, A.S., BURNETT, M.A., DARLING, P. and TURNER, R.C. The half-life of endogenous insulin and C-peptide in man assessed by somatostatin suppression, 71
MAZZEO, S. see Pacini, F.
MCCARTNEY, A.C.E. see Dorrington-Ward, P.
MICHEL, E., BENTS, H., AKHTAR, F.B., HÖNIGL, W., KNUTH, U.A., SANDOW, J. and NIESCHLAG, E. Failure of high-dose sustained release luteinizing hormone releasing hormone agonist (buserelin) plus oral testosterone to suppress male fertility, 663
MICIC, S. see Lykkesfeldt, G.
MILLER, W.L. see Hauffa, B.P.
MOLINATTI, G.M. see Ghigo, E.
MØLLER, S. see Lykkesfeldt, G.
MØLSTED PEDERSEN, L. see Djursing, H.
MONZANI, F. see Fenzi, G.F.
MORGAN, D. see Phillips, D.I.W.
MORIWAKI, K. see Gomi, M.

MORTON, J.J., CONNELL, J.M.C., HUGHES, M.J., INGLIS, G.C. and WALLACE, E.C.H. The role of plasma osmolality, angiotensin II and dopamine in vasopressin release in man, 129
MÜLLER, O.A. see Losa, M.
MUNDY, G.R. Pathogenesis of hypercalcaemia of malignancy, 705

NAKAMURA, Y., YOSHIMURA, Y., ODA, T., KATAYAMA, E., KAMEI, K., TANABE, K. and IIZUKA, R. Clinical and endocrine studies on patients with amenorrhoea associated with weight loss, 643
NAMBA, M. see Gomi, M.
NELSTROP, G.A. see Walker, B.J.
NIESCHLAG, E. see Michel, E.
NIEUWENHUIJZEN KRUSEMAN, A.C. see Roelfsema, F.
NONAKA, H. see Kinoshita, Y.
NOONAN, K. see Kopelman, P.G.
NORMAN, R.J., LOWINGS, C., OLIVER, T. and CHARD, T. Human chorionic gonadotrophin and subunits—heterogeneity in serum of male patients with tumours of the genital tract, 25
NYBOE ANDERSEN, A. see Djursing, H.

O'CARROLL, R., SHAPIRO, C. and BANCROFT, J. Androgens, behaviour and nocturnal erection in hypogonadal men: the effects of varying the replacement dose, 527
ODA, T. see Nakamura, Y.
OLIVER, T. see Norman, R.J.
O'MALLEY, B.P., ABBOTT, R.J., TIMSON, L., BECK, A.D. and ROSENTHAL, F.D. Sensory thresholds and motor responsiveness in thyroid disease: their responses to treatment and warming, 17
O'MALLEY, B.P. see Alton, S.
ØRSKOV, H. see Davies, R.R.
O'SULLIVAN, A.F. see Paterson, C.R.

PACINI, F., LARI, R., MAZZEO, S., GRASSO, L., TADDEI, D. and PINCHERA. A. Diagnostic value of a single serum thyroglobulin determination on and off thyroid suppressive therapy in the follow-up of patients with differentiated thyroid cancer, 405
PADFIELD, P.L. see Corrie, J.E.T.
PANEI, P. see Balducci, R.
PARKES, A.B. see Creagh, F.M.
PATERSON, C.R., LEHENY, W. and O'SULLIVAN, A.F. HLA antigens and familial benign hypercalcaemia, 111
PELKONEN, R. see Yki-Järvinen, H.
PENA, J. see Pombo, M.
PERKINS, W. see Creagh, F.
PERRILD, H. see Hegedüs, L.
PETERS, J., FOORD, S., DIEGUEZ, C., SALVADOR, J., HALL, R. and SCANLON, M.F. Lack of effect of the TRH related dipeptide histidyl-proline diketopiperazone on TSH and PRL secretion in normal subjects, in patients with microprolactinomas and in primary hypothyroidism, 289
PETERS, J.R. see Scanlon, M.F., also Valcavi, R.
PETERSON, R.E., IMPERATO-MCGINLEY, J., GAUTIER, T. and SHACKLETON, C. Urinary steroid metabolites in subjects with male pseudohermaphroditism due to 5α-reductase deficiency, 43
PETROLINI, R. see Chiodera, P.
PHILLIPS, D.I.W., BARKER, D.J.P., REES SMITH, B., DIDCOTE, S. and MORGAN, D. The geographical distribution of thyrotoxicosis in England according to the presence or absence of TSH-receptor antibodies, 283
PICTON THOMAS, J. see Scanlon, M.F.
PINCHERA, A. see Fenzi, G.F., also Pacini, F.
PISANO, G. see Faggiano, M.
PLATZER, M. see Davies, T.F.
POHL, P. see Fässler, R.
POMBO, M., DEVESA, J., TABORDA, A., IGLESIAS, M., GARCÍA-MORENO, F., GAUDIERO, G.J., MARTINÓN, J.M., CASTRO-GAGO, M. and PENA, J. Glucocorticoid deficiency with achalasia of the cardia and lack of lacrimation, 237
POSEN, S. see Seshadri, M.S.
PREUS, M., FRECKER, M.F., STENSZKY, V., BALAŻS, Cs. and FARID, N.R. A prognostic score for Graves' disease, 653
PRINGLE, P.J. see Stanhope, R.

RATCLIFFE, W.A. see Lambert, A.
REES, L.H. see Ross, R.J.M.
REES SMITH, B. see Creagh, F., also Phillips, D.I.W.
REYNOLDS, E.H. see Elwes, R.D.C.
RICHARDS, S. see Scanlon, M.F.
ROBERTSON, W.R. see Lambert, A.
ROBINSON, R.A. see Habib, F.K.
ROBINSON, W. see Elwes, R.D.C.
RØDBRO, P. see Kristiansen, J.H.
ROELFSEMA, F., FRÖLICH, M., GEELHOED-DUYVESTIJN, P.H.L.M., NIEUWENHUIJZEN KRUSEMAN, A.C. and LOOIJ, B.J. Glucagon-stimulated plasma C-peptide and insulin levels in active and non-active acromegalics, 627
ROELFSEMA, F., VAN DULKEN, H. and FRÖLICH, M. Long-term results of transsphenoidal pituitary microsurgery in 60 acromegalic patients, 555
ROSENTHAL, F.D. see O'Malley, B.P.
ROSS, R.J.M., GROSSMAN, A., BOULOUX, P., REES, L.H., DONIACH, I. and BESSER, G.M. The relationship between serum prolactin and immunocytochemical staining for prolactin in patients with pituitary macroadenomas, 227

ROTELLA, C.M. see Brandi, M.L.
RUDENSKI, A.S. see Matthews, D.R.

SALATI, G. see Chiodera, P.
SALVADOR, J. see Peters, J.
SANDOW, J. see Michel, E.
SCANLON, M.F., HOWELLS, S., PETERS, J.R., WILLIAMS, E.D., RICHARDS, S., HALL, R. and PICTON THOMAS, J. Hyperprolactinaemia, amenorrhoea and galactorrhoea due to a pituitary thyrotroph adenoma, 35
SCANLON, M.F. see Kumar, S., also Peters, J., also Valcavi, R.
SCHOPOHL, J. see Losa, M.
SCHUMER, B. see Struthers, A.D.
SCHWARTZ, A.E. see Davies, T.F.
SCHWARTZ, S. see Fässler, R.
SCIARRA, F. see Balducci, R.
SCULLY, J. see Dorrington-Ward, P.
SELBY, C. see Jeffcoate, W.J.
SESHADRI, M.S., CORNISH, C.J., MASON, R.S. and POSEN, S. Parathyroid hormone-like bioactivity in tumours from patients with oncogenic osteomalacia, 689
SHACKLETON, C. see Peterson, R.E.
SHAPIRO, C. see O'Carroll, R.
SHERIDAN, B. see Hawthorne, G.
SHERIDAN, P. see Bannister, P.
SINISI, A.A. see Faggiano, M.
SINISI, A.M. see Faggiano, M.
SMITZ, S., LEGROS, J.-J., FRANCHIMONT, P. and LE MAIRE, M. High molecular weight vasopressin: detection of a large amount in the plasma of a patient, 379
SMYTHE, G.A. see Ho, K.Y.
SOBIESZCZYK, S. see Losa, M.
STALLA, G.K. see Losa, M.
STANHOPE, R., PRINGLE, P.J., ADAMS, J., JEFFCOATE, S.L. and BROOK, C.G.D. Spontaneous gonadotrophin pulsatility and ovarian morphology in girls with central precocious puberty treated with cyprotene acetate, 547
STENSZKY, V. see Preus, M.
ST JOHN, J. see Beardwell, C.G.
STRUTHERS, A.D., BROWN, D.C., BROWN, M.J., SCHUMER, B. and BLOOM, S.R. Selective α_2 receptor blockade facilitates the insulin response to adrenaline but not to glucose in man, 539
SUZUKI, S. see Kinoshita, Y.
SVENSTRUP, B. see Djursing, H., also Lykkesfeldt, G.

TABORDA, A. see Pombo, M.
TADDEI, D. see Pacini, F.
TALALLA, A. see Chik, C.L.
TANABE, K. see Nakamura, Y.
TARUI, S. see Gomi, M.
TEECE, M. see Creagh, F.
TIMSON, L. see O'Malley, B.P.
TOCCAFONDI, R. see Brandi, M.L.
TOMLINSON, S., MAC NEIL, S. and BROWN, B.L. Calcium, cyclic AMP and hormone action, 595
TOMLINSON, S. see Brown, B.L.
TOSCANO, V. see Balducci, R.
TRAUB, A.I. see Hawthorne, G.
TRECHSEL, U. see Hirschel-Scholz, S.
TRISORIO, M.T. see Lerro, S.
TUNN, E. see Creagh, F.M.
TURNER, R.C. see Matthews, D.R.
TURNER, S.J. see Davies, R.R.

UNGER, J., DE MAERTELAER, V., GOLDSTEIN, J., DECOSTER, C. and JONCKHEER, M.H. Relationship between serum thyroglobulin and intrathyroidal stable iodine in human simple goitre, 1

VALCAVI, R., HARRIS, P.E., FOORD, S.M., DIEGUEZ, C., EVANS, P.J., PETERS, J.R., HALL, R. and SCANLON, M.F. The influence of oestrogens on the sensitivity of PRL, TSH and LH to the inhibitory actions of dopamine in hyperprolactinaemic patients, 139
VAN DER GAAG, R.D. see Wiener, J.D.
VAN DER SPUY, Z.M. see Abdulwahid, N.A.
VAN DULKEN, H. see Roelfsema, F.
VIRDEE, S.S. see Dowsett, M.
VOLPI, R. see Chiodera, P.
VON WERDER, K. see Losa, M.

WALKER, B.J., EVANS, P.A., FORSLING, M.L. and NELSTROP, G.A. Somatostatin and water excretion in man: an intrarenal action, 169
WALKER, S.W. see Brown, B.L.
WALLACE, E.C.H. see Morton, J.J.
WANG, C.C.L. see Hawkins, B.R.
WHITE, M.C., ADAMS, E.F., LOIZOU, M., MASHITER, K. and FAHLBUSCH, R. Ovine corticotrophin releasing factor stimulates ACTH release from human corticotrophinoma cells in culture; interaction with hydrocortisone and arginine vasopressin, 295
WIENER, J.D. and VAN DER GAAG, R.D. Autoimmunity and the pathogenesis of localized thyroid autonomy (Plummer's disease), 635
WILKINSON, P.M. see Beardwell, C.G.
WILLIAMS, E.D. see Scanlon, M.F.
WILLIAMS, S. see Creagh, F.
WISE, P. see Dorrington-Ward, P.
WRIGHT, F. see Balducci, R.

YAMAMURA, T. see Kinoshita, Y.
YEUNG, R.T.T. see Hawkins, B.R.
YKI-JÄRVINEN, H., PELKONEN, R. and KOIVISTO, V.A. Failure to suppress C-peptide secretion by euglycaemic hyperinsulinaemia: a new diagnostic test for insulinoma? 461
YOSHIMURA, Y. see Nakamura, Y.

ZONEFRATI, R. see Brandi, M.L.

Clinical Endocrinology (1985), **23,** 741–744

Subject Index to Volume 23

α_2 Receptor blockade
  and insulin response in man, 539
ACTH
  stability *in vitro* in blood and plasma, 253
  stimulation in human corticotrophinoma cells, 295
  and sodium valproate in Nelson's syndrome, 123
Acromegaly
  comparison of GRF-test with other dynamic tests, 99
  plasma C-peptide and insulin levels, 627
  and transsphenoidal pituitary microsurgery, 555
Adenomectomy
  and dexamethasone suppression, 193
Adrenal hyperplasia
  and deficient cholesterol side-chain cleavage activity, 481
Adrenaline
  and α_2 receptor blockade, 539
Amenorrhoea
  associated with weight loss, clinical and endocrine studies, 643
  and pituitary thyrotroph adenoma, 35
Androgens
  in hypogonadal men, 527
Androgen metabolism
  and spironolactone, 161
Androgen-receptor binding
  augmentation *in vitro*, 567
Angiotensin
  in vasopressin release, 129
Anti-androgenic activity
  determination by mouse kidney cytosol receptor assay, 341
Arginine vasopressin
  interaction with oCRF on ACTH release, 295
Autoimmunity
  in Plummer's disease (localized thyroid autonomy), 635
Autonomous thyroid adenomata
  thyroid hormones and TRH test, 373

Behaviour
  in hypogonadal men, 527
Breast cancer
  and trilostane in postmenopausal women, 413
Buserelin
  failure to suppress male fertility, 663

C-peptide
  in acromegaly after glucagon stimulation, 627
  and somatostatin suppression, 71
Calcium
  absorption in familial hypocalcaemic hypocalcaemia, 511
  calmodulin and hormone secretion, 201
  cyclic AMP and hormone action, 595
Calmodulin
  and hormone secretion, 201
Carbamazepine
  and goitre, 423
Carbimazole therapy
  in thyrotoxicosis, 517
Catecholamine
  sensitivity to iodothyronines, 503
  and magnesium concentrations, 219
Cholesterol side-chain cleavage activity
  in adrenal hyperplasia, 481
Cirrhosis
  and sex hormones in postmenopausal women, 335
Conception
  and concomitant secretion of SP_1 and hCG, 677
Conn's syndrome
  and 18-hydroxycortisol secretion, 579
Cushing's disease
  restoration of dexamethasone suppression by incomplete adenomectomy, 193
Cyclic AMP
  calcium and hormone action, 595
  and iodothyronines, 503
Cyproterone acetate
  and central precocious puberty, 547

Dexamethasone
  suppression in Cushing's disease, 193
  suppression test in children, 67
Dietary intake
  in thyrotoxicosis, 517
Differentiated thyroid cancer
  and ^{131}I thyroid ablation, 81
  and serum thyroglobulin, 405
Dopamine
  effect on TSH and prolactin concentrations, 185
  in vasopressin release, 129
Dopaminergic mechanisms
  and stimulated prolactin release, 7

Endogenous hormone half-life
  and somatostatin, 71

FSH
and muscarinic cholinergic mediation, 361
Familial benign hypercalcaemia
and HLA antigens, 111
Familial hypocalciuric hypercalcaemia
intestinal calcium absorption and vitamin D metabolism, 511
Familial male pseudohermaphroditism
due to 17β-hydroxysteroid dehydrogenase activity, 439
Follicular development
and gonadotrophin, 613

GH
impaired response in obesity, 87
and phenytoin in epilepsy, 263
TRH-induced release in hypothyroidism, 61
GRF
interaction with somatostatin analogue (SMS 201–995), 715
interaction with somatostatin *in vivo*, 271
and obesity, 521
GRF-test
in acromegaly, 99
Galactorrhoea
and pituitary thyrotroph adenoma, 35
Genital tract tumours
and hCG, 25
Glucagon
and localization of insulinoma, 586
stimulatory effects in acromegaly, 627
Glucocorticoid deficiency
achalasia of the cardia and lack of lacrimation, 237
Glucose
and α_2 receptor blockade, 539
Goitre
in epileptic patients, 423
reciprocal changes of thyroglobulin and TSH, 115
serum thyroglobulin and intrathyroidal iodine, 1
Gonadotrophin
control of follicular development, 613
deficiency and prolactin secretion, 55
Graves' disease
a prognostic score, 653
HLA antigens and paralysis in Hong Kong Chinese, 245
TSH binding and TSAb activity, 395

hCG
and SP_1 following conception, 677
in genital tract tumours, 25
HLA antigens
and familial benign hypercalcaemia, 111
and thyrotoxic Graves' disease, 245
Histamine H_2-receptor antagonists
and parathyroid hormone in renal failure, 277
Histidyl-proline diketopiperazone
effect on TSH and prolactin secretion, 289
Hirsutism
effect of spironolactone, 161
Human hepatic androgen receptor
identification and characterization, 495
Hydrocortisone
interaction with oCRF on ACTH release, 295
18–Hydroxycortisol
factors affecting secretion, 579
17β-Hydroxysteroid dehydrogenase activity and familial male pseudohermaphroditism, 439
Hypercalcaemia
pathogenesis of malignancy, 705
Hyperprolactinaemia
due to thyrotroph adenomas, 35
influence of oestrogens, 139
prolactin and TSH, dopamine synthesis blockade, 155
Hypogonadism
variation in replacement dose, 527
Hypothyroidism
and L-thyroxine therapy, 61
sensory thresholds and motor responsiveness in, 17

^{131}I thyroid ablation
in differentiated thyroid cancer, 81
Ichthyosis
and abnormal androgen and oestrogen metabolism, 385
Insulin
and α_2 receptor blockade, 539
in acromegaly after glucagon stimulation, 627
and localization of insulinoma, 586
and somatostatin suppression, 71
Insulin-dependent diabetics
and sex hormone concentrations, 147
Insulin-hypoglycaemia
in obesity, 87
Insulinoma
accurate localization of, 586
euglycaemic insulin test, 461
Intrathyroidal iodine
in human simple goitre, 1
Iodothyronines
in human thyroid cells, 503

L-thyroxine
and GH release in hypothyroidism, 61
LH
and muscarinic cholinergic mediation, 361
and pinealectomy, 367
LH suppression
effects in polycystic ovary syndrome, 683

LHRH agonist (buserelin)
failure to suppress male fertility, 663

Magnesium concentrations
effects of catecholamines and exercise, 219
Male fertility
and LHRH agonist plus oral testosterone, 663
Mastalgia
and endocrine therapy, 699
Menstrual cycle
changes in sex hormones binding globulin levels, 303
Microprolactinoma
TSH and prolactin secretion, 289
Motor responsiveness
in thyroid disease, 17
Muscarinic cholinergic mediation
effect on LH and FSH in men, 361

Nelson's syndrome
effect of sodium valproate, 123
Nocturnal erection
in hypogonadal men, 527

oCRF
and human ACTH secretion *in vitro*, 295
Obesity
GH response and insulin-hypoglycaemia, 87
and human pancreatic GRF 1–44, 521
Oestrogen
and dopamine responses in hyperprolactinaemia, 139
and menstrual cycles, 303
Oncogenic osteomalacia
and parathyroid hormone-like bioactivity, 689

Parathyroid carcinoma
administration of WR-2721, 313
Parathyroid hormone bioactivity
in oncogenic osteomalacia, 689
Parathyroid secretion
suppression by WR-2721 in parathyroid carcinoma, 313
Phenytoin
and increased frequency of goitre, 423
in epilepsy, 263
Pinealectomy
on melatonin, LH and prolactin, 367
Pituitary macroadenomas
serum prolactin and immunocytochemical staining for prolactin, 227
Plasma osmolality
role in vasopressin release, 129
Plummer's disease
autoimmunity in localized thyroid autonomy, 635
Polycystic ovary syndrome
and LH suppression, 683
Prolactin
and dopamine synthesis blockade, 155
effect of dopamine, 185
in epileptic patients receiving phenytoin, 263
interaction of TRH and dopaminergic mechanisms in regulation of release, 7
and pinealectomy, 367
and pituitary macroadenomas, 227
response to TRH in gonadotrophin deficiency, 55
Prolactin release
as a predictor of response to endocrine therapy in mastalgia, 699
Proline
and histidyl-proline diketopiperazone, 289
Prostate cancer
and 5α-reductase activity, 431
Precocious puberty
and cyproterone acetate, 547
Primary hypothyroidism
TSH and prolactin secretion, 289
Pseudohermaphroditism
and 5α-reductase deficiency, 43

5α-Reductase activity
in human prostate cancer, 431
5α-Reductase deficiency
and urinary steroids in male pseudohermaphroditism, 43
Renal failure
and H_2-receptor antagonists, 277

Schwangerschaftsprotein 1 (SP1)
and hCG following conception, 677
Sensory thresholds
in thyroid disease, 17
Serum melatonin
and pinealectomy, 367
Serum sex hormone concentrations
in diabetic women with and without amenorrhoea, 147
Serum thyroglobulin
in differentiated thyroid cancer, 405
and iodine in human simple goitre, 1
Sex hormone
in non-alcoholic cirrhosis, 335
Sex hormone binding globulin
on human cerebrospinal fluid, 349
oestrogen-related changes in levels during menstrual cycles, 303
Sodium valproate
and ACTH in Nelson's syndrome, 123
Somatostatin
assessment of endogenous hormone half-life, 71
and GRF 1–44 *in vivo*, 271
and water excretion, 169

Somatostatin analogue
and GRF in normal subjects, 715
Spironolactone
effect on hirsutism and female androgen metabolism, 161
Steroids
and 5α-reductase deficiency, 43
Steroid sulphatase deficiency
and recessive X-linked ichthyosis, 385

TRH
in gonadotrophin deficiency, 55
and GH release in primary congenital hypothyroidism, 61
and prolactin release, 7
TRH test
in autonomous thyroid adenomata, 373
TSH
and dopamine synthesis blockade, 155
effects of dopamine, 185
in endemic goitre, 115
in Graves' sera, 395
and histidyl-proline diketopiperazone, 289
TSH-receptor antibody
and the distribution of thyrotoxicosis, 283
and thyroid stimulation, 175
Thyroglobulin
and TSH in endemic goitre, 115
Thyroid cells
an assay for thyroid stimulating immunoglobulins, 325
evaluation in monolayer culture, 469
Thyroid hormone
and autonomous thyroid adenomata, 373
Thyroid stimulation
by $(FAB)_2$ and FAB fragments of TSH receptor antibody, 175
Thyroid stimulating immunoglobulins
assay using culture human thyroid cells, 325
Thyrotoxicosis
and carbimazole therapy, 517
and TSH-receptor antibodies, 283
Thyrotroph adenoma
in hyperprolactinaemia, 35
Thyrotrophin receptor binding
and TSH activities in Graves' sera, 395
Transhepatic portal venous sampling
and accurate localization of insulinoma, 586
Transsphenoidal pituitary microsurgery
long-term results in acromegalics, 555
Trilostane
and breast cancer, 413

Vasoactive intestinal peptide
and iodothyronines, 503
Vasopressin
detection in large amounts, 379
role of angiotensin and dopamine, 129
Vitamin D
and familial hypocalciuric hypercalcaemia, 511
extra-endocrine functions of, 445

WR-2721
and suppression of parathyroid secretion, 313
Water excretion
and somatostatin, 169
Weight loss
and amenorrhoea, 643